

DECLARATION OF CONFORMITY DOC – X-TREME TILE BACKER BOARD

- 1 Manufacturer: Seal It Services Ltd t/a Bond It
Unit G16 River Bank Way
Lowfields Business Park
Elland
West Yorkshire. HX5 9DN
2. Name and description of product: X-Treme Tile Backer Board
3. Intended uses: **Internal Wall finishes**
4. Technical Specification: EN 12467:2012 “Fibre-cement flat sheets – product specification and test methods”
5. Declared performance:

ESSENTIAL CHARACTERISTIC	DECLARED PERFORMANCE	HARMONISED STANDARD
Durability against warm water	Pass	EN 12467:2012
Durability against soak/dry	Pass R = 0.77 > 0.75	
Water vapour permeability	Pass R = 0.78 > 0.75	
Reaction to fire	A1	EN 13501-1:2007
Release of dangerous substances	Pass No formaldehyde, asbestos or radioactive material	EN 12467:2012
Mechanical resistance	Bending strength: 20.9 MPa Tensile strength: 13.4 MPa	

6. Laboratory and report number: DCT_3009_13/054_14_D
- Asacert Assessment & Certification Report Number:

I declare that the construction product conforms to the technical specification of item 4 above.

Signed for and on behalf of the manufacturer by:



Kayleigh Cox-Nowak
Technical Manager
Elland

Issue 1: 05th March 2019