

DECLARATION OF PERFORMANCE

DOP – BDBA / BDSQBA



- 1 Identification Code: **BDBAWH:** Bond It Bath-Mate Bathroom & Kitchen Sealant EU3
BDSQBA: Bond It Squeeze It Bathroom & Kitchen Sealant EU2
2. Batch Identification: By batch number – see print on packaging
3. Intended uses: **F- INT** Façade Sealant for Interior Use.
S1 Sanitary sealant
4. Manufacturer: Seal It Services Ltd t/a Bond It
Unit G16 River Bank Way
Lowfields Business Park
Elland
West Yorkshire
HX5 9DN
5. Authorised Representative: Not applicable
6. System of assessment and Verification of constancy: System 4 + 4
7. Notified Body:
8. European Technical Assessment: Not Applicable
9. Declared performance:

ESSENTIAL CHARACTERISTIC	DECLARED PERFORMANCE	HARMONISED STANDARD
Reaction to Fire	Class E	
Release of Chemicals	None	See MSDS
Water Tightness and Air Tightness as determined by:		BS EN 15651-1,3:2012 Conditioning method A
Resistance to Flow	≤3mm	
Loss of Volume	NPD	
Tensile properties after water immersion	NPD	
Durability	NPD	
Microbiological Growth	S1	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

Signed for and on behalf of the manufacturer by:



Phil Radford
Technical Manager
Elland
Issue 2: 5th Sept 2016

Seal It Services Ltd T/As Bond It: Tel: 01422 315300 www.bonditgroup.com

DECLARATION OF PERFORMANCE

DOP – BDBA / BDSQBA



- 1 Identification Code: **BDBAWH:** Bond It Bath-Mate Bathroom & Kitchen Sealant EU3
BDSQBA: Bond It Squeeze It Bathroom & Kitchen Sealant EU2
2. Batch Identification: By batch number – see print on packaging
3. Intended uses: **F- INT** Façade Sealant for Interior Use.
S1 Sanitary sealant
4. Manufacturer: Seal It Services Ltd t/a Bond It
Unit G16 River Bank Way
Lowfields Business Park
Elland
West Yorkshire
HX5 9DN
5. Authorised Representative: Not applicable
6. System of assessment and Verification of constancy: System 4 + 4
7. Notified Body:
8. European Technical Assessment: Not Applicable
9. Declared performance:

ESSENTIAL CHARACTERISTIC	DECLARED PERFORMANCE	HARMONISED STANDARD
Reaction to Fire	Class E	
Release of Chemicals	None	See MSDS
Water Tightness and Air Tightness as determined by:		BS EN 15651-1,3:2012 Conditioning method A
Resistance to Flow	≤3mm	
Loss of Volume	NPD	
Tensile properties after water immersion	NPD	
Durability	NPD	
Microbiological Growth	S1	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

Signed for and on behalf of the manufacturer by:



Phil Radford
Technical Manager
Elland

Issue 1: 20th October 2022

Seal It Services Ltd T/As Bond It: Tel: 01422 315300 www.bonditgroup.com